A Measurement of Diffractive Charm Production at HERA

Dissertation

zur

Erlangung der naturwissenschaftlichen Doktorwürde

(Dr. sc. nat.)

vorgelegt der

Mathematisch-naturwissenschaftlichen Fakultät

der

Universität Zürich

von

Stefan Hengstmann

aus

Deutschland

Begutachtet von

Prof. Dr. Peter Truöl

Dr. Felix Sefkow

Zürich 2000

Die vorliegende Arbeit wurde von der Mathematisch-naturwissenschaftlichen Fakultät der Universität Zürich auf Antrag von Prof. Dr. Peter Truöl und Prof. Dr. Ulrich Straumann als Dissertation angenommen.

Abstract

A measurement is presented of $D^\star$ meson production in diffractive deep-inelastic *ep* scattering at HERA. Diffractive processes are characterized experimentally by a large rapidity-gap where no particles are observed. They are attributed predominantly to the exchange of a colorless object, which can be interpreted as the pomeron. The cross section is measured in a kinematic range where the experimental acceptance is large and presented differentially as a function of various kinematic variables exploring the dynamics of diffractive charm production. The results are compared with a model based on a partonic pomeron as determined in a QCD analysis of the diffractive structure function, with perturbative QCD calculations of two gluon exchange and with a soft color interaction model.

Zusammenfassung

Streuprozesse, bei denen die Quantenzahlen des Vakuums zwischen den beteiligten Teilchen ausgetauscht werden, bezeichnet man als diffraktiv. Sie können durch den Austausch eines farbneutralen Teilchens, des sogenannten *Pomerons*, parametrisiert werden. Experimentell sind diffraktive Ereignisse in der tiefinelastischen *ep*–Streuung bei HERA durch einen Bereich in der Pseudorapidität charakterisiert, in dem keine Teilchen nachgewiesen werden.
Die diffraktive Produktion von $D^\star$–Mesonen wurde mit dem H1–Detektor im kinematischen Bereich hoher experimenteller Akzeptanz untersucht. Differenzielle Wirkungsquerschnitte als Funktion verschiedener kinematischer Variablen wurden gemessen und mit einem Modell verglichen, das auf einer partonischen Struktur des Pomerons beruht, wie sie aus der QCD–Analyse der inklusiven diffraktiven Strukturfunktion bestimmt wurde. Weiterhin werden Berechnungen des Zwei–Gluon–Austauschs in störungstheoretischer QCD und des sogenannten *Soft Color Interaction* Modells den gemessenen Wirkungsquerschnitten gegenübergestellt.

Contents

1 Theoretical Framework **3**

1.1 Kinematics of deep inelastic ep-scattering 3

1.2 Inclusive cross section and structure functions 4

1.2.1 The naive quark parton model 5

1.2.2 Scaling violation and perturbative QCD 5

1.3 Charm production 8

1.3.1 Fragmentation of charm quarks 9

1.4 Diffractive deep inelastic scattering 10

1.4.1 Hadron-hadron interactions and Regge theory 11

1.4.2 Diffractive structure function $F_2^{D(3)}$ 12

1.5 Charm in diffraction 17

1.5.1 Resolved pomeron model 17

1.5.2 Two-gluon model 19

1.5.3 Soft color interaction model 19

1.5.4 Monte Carlo implementation 19

1.5.5 Model comparison 20

2 The H1 Detector at HERA **23**

2.1 The HERA positron-proton collider 24

2.2 The H1 detector 24

2.2.1 Time-of-flight system 26

2.2.2 Luminosity measurement 27

2.2.3 The central tracking detector 27

2.2.4 Track finding and reconstruction 30

2.2.5 The liquid argon calorimeter . . . 32
2.2.6 The backward detectors . . . 32
2.2.7 Forward detectors . . . 34
2.2.8 Trigger scheme . . . 35
2.2.9 Detector simulation . . . 39

3 Event Selection **40**
3.1 Run selection . . . 40
3.1.1 The analysis subtrigger . . . 41
3.1.2 Luminosity . . . 41
3.2 Deep inelastic scattering events . . . 42
3.2.1 Selection of DIS events . . . 43
3.2.2 DIS kinematics . . . 44
3.3 Reconstruction of $D^{\star}$ mesons . . . 45
3.3.1 Track selection . . . 46
3.3.2 Kinematic region . . . 47
3.4 Selection of diffractive events . . . 48
3.4.1 Forward cuts . . . 49
3.4.2 Diffractive kinematic region . . . 50
3.4.3 Diffractive $D^{\star}$ production . . . 52

4 Cross Section Measurement **55**
4.1 Determination of the cross section . . . 55
4.1.1 Noise correction ν . . . 56
4.1.2 Reflections . . . 57
4.1.3 Trigger efficiency . . . 58
4.1.4 Acceptance and reconstruction efficiency . . . 59
4.1.5 M_Y smearing S . . . 61
4.1.6 Cross check with the inclusive measurement . . . 63
4.2 Error calculation . . . 65
4.3 Results . . . 66
4.3.1 Diffractive charm cross section . . . 66
4.3.2 Comparison with models . . . 66
4.3.3 Comparison with ZEUS results . . . 72
4.3.4 Results from diffractive dijet production . . . 73

5 **Summary and Outlook** **75**

A **Reflection Background** **77**

A.1.1 Reconstruction of $D^{\star}$ decays on generator level 77

A.1.2 Determination of the background 80

B **Reconstruction of Charm Mesons with the CST** **82**

B.1 CST tracks 82

B.2 Reconstructing $D^{\star}$ mesons with the CST 83

B.3 Reconstruction of the D^0 decay length 84

B.3.1 Mass resolution of the $D^{\star}$ and the D^0 meson 85

B.4 D^0 lifetime 85

C **Calibration of the Z-Chambers** **87**

C.1 Space point reconstruction 87

C.2 CST reference tracks 89

C.3 Calibration constants and their determination 90

C.3.1 CIZ calibration with cosmic tracks 91

C.3.2 Z-superfit 93

List of Figures **97**

List of Tables **100**

References **101**

Introduction

The fundamental concern of elementary particle physics is the understanding of matter in terms of its smallest constituents and their interactions. The theory which describes the interactions between elementary particles is nowadays governed by *gauge theories*. Unifying the theories of the strong interactions, *Quantum Chromodynamics* (QCD) and the electroweak interactions, *Quantum Flavordynamics* the most comprehensive model is the *Standard Model* of elementary particle physics. Lepton-nucleon scattering experiments offer one possibility to test the predictions of the Standard Model.

The Hadron Electron Ring Accelerator (HERA), situated at the DESY[1] laboratory in Hamburg, has made it possible to study electron proton collisions at a center of mass energy of $\sqrt{s} \simeq 300$ GeV. In QCD the proton is pictured to be composed of spin-half, point-like partons with fractional electric charge called *quarks*. The quarks are interacting by the exchange of massless gauge bosons known as *gluons*. *ep*-interactions are understood to be deep inelastic scattering (DIS). They are dominated by the exchange of a photon radiated by the electron and interacting with a parton of the proton. In DIS the proton structure can be explored in terms of the structure function F_2 which depends on the density of the quarks and gluons in the proton.

At HERA *rapidity gap* events are observed where the emerging particles are separated by a large region in pseudorapidity devoid of any hadronic energy. Such events constitute approximately 10% of the inclusive DIS cross section. They have been interpreted as *diffractive* processes, in which no quantum numbers are exchanged between the interacting particles. Such processes were known from earlier hadron-hadron experiments and were described phenomenologically in terms of Regge theory before the advent of QCD. At high energies the dominant contribution to the cross section is due to the exchange of a colorless object, the *pomeron*, which carries the vacuum quantum numbers. At HERA the pomeron can be described as an object with a partonic structure. In the same way as the proton the pomeron structure can be understood in terms of a diffractive structure function $F_2^{D(3)}$ and its partonic content can be determined in the framework of perturbative QCD.

Diffractive *open charm* production in DIS is sensitive to the gluon content of the exchange, since charm quarks are predominantly produced by gluon induced processes. In this thesis a measurement of differential cross sections is presented which explore the dynamics of diffractive charm production. The measurement is based upon data which were collected with the H1 detector during the years 1995, 1996 and 1997.

[1]DESY=Deutsches Elektronen Synchrotron

The thesis starts with a theoretical overview of diffractive deep inelastic scattering. In the second part of Chapter 1 different theoretical approaches to diffractive charm production are introduced. The HERA accelerator and the H1 experiment are described in Chapter 2. The subjects of Chapter 3 are the technical aspects of the detection of diffractive charm events in DIS and the reconstruction of the kinematic variables. The selection method of charm events using the decay mode $D^\star \rightarrow D^0\pi_s \rightarrow (K\pi)\pi_s$ is described and the kinematic region for which the cross sections are measured is defined. In the first part of Chapter 4 the correction procedure used to determine the cross sections is explained and the systematic uncertainties are discussed. The second part of Chapter 4 is devoted to the presentation and interpretation of the cross sections in comparison with the models for diffractive charm production. Chapter 5 summarizes the results and gives an outlook for future analyses on the topic at HERA.

The determination of a correction factor relevant for the cross section measurement is carried out in Appendix A. A study exploiting the central silicon detector for the reconstruction of charm events is presented in Appendix B. Finally, technical aspects of the alignment and calibration of the central inner and outer z-chambers CIZ and COZ are treated in Appendix C.

Chapter 1

Theoretical Framework

This analysis concerns the measurement of cross sections for charm production in deep inelastic diffractive scattering. Firstly the kinematics of the inclusive scattering process $ep \to eX$ is explained and the basic ideas of its description in the framework of the theory of the strong interaction - QCD - are introduced. Thereafter diffractive processes, measured at HERA, are defined in terms of a topological decomposition of the final state hadrons into two distinct systems X and Y separated by a so-called rapidity gap. Kinematic variables frequently referred to in diffractive scattering are explained. Different theoretical approaches to diffractive charm production exist. Those which will be directly compared with the presented measurement are introduced in the last part of this chapter.

1.1 Kinematics of deep inelastic *ep*-scattering

Figure 1.1 shows the dominant deep inelastic *ep*-scattering (DIS) process measured at HERA. The incoming positron[1] carrying the four-momentum l scatters off the proton by the exchange of a photon or a Z^0 boson (*neutral current*) carrying the four-momentum q. The square of the four-momentum transfer and the total center of mass energy of the process are given by

$$Q^2 \equiv -q^2 = -(l - l')^2 \quad \text{and} \tag{1.1}$$
$$s = (p + l)^2 \simeq 4E_e E_p \; . \tag{1.2}$$

where E_e and E_p are the energies of the incoming positron and proton, respectively. The rest masses of the positron and proton are neglected here and in the following.
For fixed center of mass energies $\sqrt{s}$ the DIS process can uniquely be described by the two dimensionless variables Bjorken-x and inelasticity y defined as

$$x = \frac{Q^2}{2(q \cdot p)} \qquad 0 \le x \le 1 \; , \tag{1.3}$$
$$y = \frac{q \cdot p}{l \cdot p} \qquad 0 \le y \le 1 \; . \tag{1.4}$$

[1] HERA is able to collide both positrons and electrons with protons. In this thesis the term *positron* is used to describe generically electrons and positrons.

These variables are related to Q^2 by the equation $Q^2 = xys$.
Because of baryon number conservation, the invariant mass of the hadronic final state X

$$W^2 = (q + p_p)^2 = Q^2 \cdot (\frac{1}{x} - 1) \tag{1.5}$$

is constraint to be at least the proton rest mass m_p.
Two kinematic regions can be defined: For $Q^2 \to 0$ almost real photons are radiated off the positron defining the *photoproduction* region; while the region $Q^2 \gtrsim 1\,\mathrm{GeV}^2$ and $W^2 \gg m_p^2$ is the domain of *deep inelastic scattering* and the region of interest for the present analysis.
For moderate values of Q^2 ($Q^2 \leq 100\,\mathrm{GeV}^2$) the ep-interaction is predominantly mediated by a photon since Z^0-exchange is suppressed by a factor $\sim Q^2/(Q^2 + M_Z^2)$, where M_Z is the rest mass of the Z^0 boson. For the same argument *charged current* contributions ($W^{\pm}$-exchange) are negligible.



Figure 1.1: *Generic Feynman diagram for ep-scattering.*

1.2 Inclusive cross section and structure functions

The inclusive cross section of the DIS process $ep \to eX$ is, in lowest order QED[2], proportional to the product of a leptonic tensor $L_{\mu\nu}$ and a hadronic tensor $W_{\mu\nu}$

$$\sigma \propto L_{\mu\nu} W^{\mu\nu} \tag{1.6}$$

$L_{\mu\nu}$ describes the interaction between the positron and the exchanged photon and is exactly calculable in QED. Since the proton structure is a-priori unknown, $W_{\mu\nu}$, which describes the interaction between the photon and the proton, is not calculable and must be determined from experiments.

[2] *Quantum Electrodynamics*

The requirement of Lorentz invariance and current conservation leads to the expression for the inclusive double differential cross section

$$\frac{d^2\sigma(ep \to eX)}{dxdQ^2} = \frac{4\pi\alpha_{em}^2}{xQ^4}\left(y^2 x F_1(x,Q^2) + (1-y)F_2(x,Q^2)\right) \quad (1.7)$$

where α_{em} is the electromagnetic coupling constant and $F_1(x,Q^2)$ and $F_2(x,Q^2)$ are structure functions depending on the Bjorken scaling variable x and Q^2 and containing the information of the dynamics of the process. An interference term F_3 accounting for contributions from Z^0 exchange and interference terms between γ and Z^0 exchange is neglected in Equation 1.7 for the reasons discussed in the previous Section 1.1.

1.2.1 The naive quark parton model

In the naive quark parton model (QPM) [1] the proton is considered to be composed of non-interacting point-like partons. The positron-proton interaction cross section is approximated by an incoherent sum of elastic positron-parton cross sections. The QPM has to be reconciled with the *static* parton model where the proton (like all baryons) consists of three fractionally charged constituents, namely *quarks*. This is achieved by distinguishing between the three *valence* quarks *uud*, which determine the quantum numbers of the proton and a *sea* of quark anti-quark pairs which have no net flavor.
In the QPM the process $ep \to eX$ is described in terms of *parton density functions* $f_i(x)$ giving the probability of finding a parton of type i and charge e_i carrying the fraction x of the proton's momentum. The following relation between them and the structure functions $F_1(x,Q^2)$ and $F_2(x,Q^2)$ (see Section 1.2) can be established:

$$F_1(x,Q^2) = \frac{1}{2}\sum_i e_i^2 f_i(x) \quad (1.8)$$

$$F_2(x,Q^2) = x\sum_i e_i^2 f_i(x) \quad (1.9)$$

The combination of these two equations leads to

$$F_2(x,Q^2) = 2xF_1(x,Q^2) \quad (1.10)$$

which is called the Callan-Gross relation [2] and is a consequence of the spin-half nature of the quarks. As can be seen from Equation 1.9 the QPM implies that $F_2(x,Q^2)$ should not depend on Q^2 for fixed values of x. This behavior was expected by Bjorken and is known as *scaling invariance* [3]. Figure 1.2 shows a measurement of $F_2(x,Q^2)$ as a function of Q^2 for various values of x [4]. Only little dependence on Q^2 is observed over a wide kinematic range. However, slight deviations from this scaling behavior occur in particular for low values of x.

1.2.2 Scaling violation and perturbative QCD

One of the basic assumptions of the QPM (see Section 1.2.1) is that the sum of the momenta of the quarks and anti-quarks equal that of the proton which can be expressed



Figure 1.2: *Scaling violation of* $F_2(x, Q^2)$.

by the sum rule:

$$\sum_i \int_0^1 x f_i(x) dx = 1 \ . \tag{1.11}$$

Measurements however have demonstrated that the total momentum carried by the quarks amounts to approximately only half the momentum of the proton [5], which is a strong evidence that quarks cannot be the only constituents of the proton. On the other hand the measurement of $F_2(x, Q^2)$ shows a dependence on Q^2 (see Figure 1.2) and the scaling invariance is *violated* which is in contrast to the prediction of the QPM.
These effects can be explained in terms of the theory of the strong interaction, *Quantum Chromodynamics* QCD. In QCD the proton is composed of quarks interacting by the exchange of *gluons*. Quarks carry an additional degree of freedom, *color*. Color is exchanged by eight gluons, which carry different combinations of color charge. Gluons are massless, electrically neutral and have spin 1. In contrast to photons gluons are able to couple to each other. The self-coupling of the color field leads to the dependence of the strong coupling constant α_s on the scale μ^2 (e.g. Q^2)

$$\alpha_s(Q^2) = \frac{12\pi}{(33 - 2N_f)\ln(Q^2/\Lambda^2_{QCD})} \tag{1.12}$$



Figure 1.3: *Leading order diagrams for a) charm production via flavor excitation and b) photo-gluon fusion.*

where N_f is the number of quark flavors and Λ_{QCD} a parameter that has to be determined from experiments. With increasing Q^2 the coupling strength becomes small (*asymptotic freedom*), and conversely, when Q^2 decreases, α_s becomes large and the quarks are strongly bound together (*confinement*). In the regime of DIS measurements ($Q^2 \gtrsim 1\ \mathrm{GeV}^2$) α_s is sufficiently small and perturbative QCD (pQCD) is applicable. Within pQCD it is not possible to calculate the parton densities from first principles. However predictions on the evolution of these parton densities as a function of $\ln(Q^2)$ can be calculated within the framework of the DGLAP[3] evolution equations [6]. The DGLAP formalism successfully describes the scaling violation of the structure function $F_2(x, Q^2)$. This can be seen in Figure 1.2, where a fit based on this description is shown together with the data.

The **QCD factorization theorem** states that the *ep*-interaction can be divided into a perturbative *short distance* part and a non-perturbative *long distance* part. The non-perturbative part can not be calculated and has to be determined experimentally. In the perturbative part α_s is sufficiently small to allow an expansions in a series of powers of α_s. The structure function $F_2(x, Q^2)$ can be expressed as a convolution of a coefficient function C_2^i calculable in pQCD and the parton distribution function f_i of the proton,

$$F_2(x, Q^2) = \sum_{f_i=q,\bar{q},g} \int_x^1 d\xi C_2^i \left(\frac{x}{\xi}, \frac{Q^2}{\mu^2}, \frac{\mu_f^2}{\mu^2}, \alpha_s(\mu^2) \right) f_i(\xi, \mu_f, \mu) \tag{1.13}$$

where μ_f is the *factorization scale*, which defines the boundary between the perturbative and non-perturbative regions and μ is the *renormalization* scale used to absorb the divergent parts of the perturbation series.
A detailed introduction to the theory of QCD can be found in (e.g. [7, 8]).

[3]Dokshitzer, Gribov, Lipatov, Altarelli, Parisi

1.3 Charm production

At HERA charm is produced via the production mechanisms of *photon-gluon fusion* (PGF) $\gamma g \rightarrow c\bar{c}$, where the photon, radiated by the incoming positron, interacts with a gluon of the proton. Charm may also be produced when the photon scatters off a charm quark in the sea of the proton, often referred to as *flavor excitation*. Leading order diagrams for both processes are sketched in Figure 1.3. Their relative contributions have been measured at H1 by detecting $D^\star$ mesons in the kinematic range $10 < Q^2 < 100\,\mathrm{GeV}^2$ [9]. The measurement excludes at 95% confidence level a 5% contribution from charm sea quarks to the total charm production. In this analysis charm is measured in the range $2 < Q^2 < 100\,\mathrm{GeV}^2$ and only the photon-gluon process is considered. The cross section of this process is sensitive to the gluon density in the proton. The momentum fraction of the proton carried by the gluon which enters the PGF process x_g can be related to the invariant mass squared of the $c\bar{c}$ system $\hat{s} = (p_{\bar{c}} + p_c)^2$ (see Figure 1.3). In leading order x_g can be reconstructed from

$$x_g = x\left(1 + \frac{\hat{s}}{Q^2}\right) \quad \text{with} \quad \hat{s} = \frac{p^{*2}_{Tc} + m_c^2}{z(1-z)} \tag{1.14}$$

and

$$z \equiv \frac{p \cdot c}{p \cdot q} = \frac{(E - p_z)_c^{lab}}{2yE_e} \tag{1.15}$$

where c denotes the four-momentum of the charm quark and p^{*2}_{Tc} the transverse momentum in the $\gamma^* p$ center of mass system (CMS). The Lorentz invariant z can be calculated in the laboratory frame from the energy E and the longitudinal momentum p_z of the c quark. For PGF processes it can be correlated with the quark scattering angle in the photon-gluon CMS. The c quark is not measured directly but can be detected, like in this analysis, via the identification of $D^\star$ mesons through the decay chain $D^{\star\pm} \rightarrow D^0 {\pi_s}^{\pm} \rightarrow (K^{\mp}\pi^{\pm}){\pi_s}^{\pm}$. The hadronic observable x_g^{obs} is defined by replacing p^{*2}_{Tc} with $1.2 \cdot p_T(D^\star)$ and $(E - p_z)_c^{lab}$ with $(E - p_z)_{D^\star}^{lab}$ in Equation 1.14 and 1.15 and can therefore be used as an estimator for the gluon momentum fraction x_g. The factor 1.2 has been introduced to account for the average reduction in the momentum of the $D^\star$ meson compared to the c quark. H1 has measured the cross section for $D^\star$ meson production differentially as a function of x_g^{obs} [10]. The gluon density $x_g g(x_g)$ has been unfolded from the x_g^{obs} distribution, where the factorization scale $\mu_f^2 = 4m_c^2 + Q^2$ has been used. The measurement reaches down to values of x_g of $\approx 10^{-3}$ and has been found to be in good agreement with the *indirect* extraction of $x_g g(x_g)$ from the F_2 data [4]. The local behavior of the structure function F_2 at a given value of x depends on the gluon distribution $x_g g(x_g)$ in a rather wide range of values of the momentum fraction x_g, and the analysis requires the assumption of a certain functional form of $x_g g(x_g)$, the parameters of which are then determined in a fit procedure. In this sense the measurement of open charm conveniently provides a *direct* measure of the gluonic structure of the proton.

1.3.1 Fragmentation of charm quarks

The measured particles are the hadrons emerging from the *fragmentation* of the charm quarks. This process can not be derived from first principles but has to be described by phenomenological models. Two models are commonly used, the rather sophisticated *Lund String Model* [11], where the hadronization is modelled by the fragmentation of color *strings* spanned between the charm quarks and the partons in the proton, and the simpler *Peterson fragmentation* [12], describing the transition of the c quark with momentum p_c to a charmed hadron h with momentum zp_c using the probability function

$$D_h(z) = \frac{N_h}{z(1 - \frac{1}{z} - \frac{\varepsilon_c}{1-z})^2} \, . \tag{1.16}$$

The normalization factor N_h is constraint by the requirement $\sum_h \int_0^1 x D_h(x) dx = 1$. The free parameter ε_c is of $\mathcal{O}(m_{\bar{q}}^2/m_c^2)$ where $m_{\bar{q}}^2$ is the mass of the light anti-quark picked up from the vacuum by the c quark. The smaller ε_c the harder the momentum spectrum of the charmed hadron. The fragmentation process is assumed to be independent of the underlying hard scattering process. In a way similar to the factorization of the proton structure function (see Section 1.2.2), the charm hadron cross section can be described by a convolution of the non-perturbative fragmentation function with a perturbative evolution term. Peterson fragmentation functions are plotted in Figure 1.4(a) for different values of ε_c, which are determined from fits to data measured at e^+e^- colliders. Figure 1.4(b) shows a measurement performed by the ARGUS [13] and CLEO [14] collaborations in e^+e^- annihilations at center of mass energies of $\sqrt{s} \simeq 10$ GeV. The inclusive D^0 and $D^\star$ cross sections are measured as a function of the variable $x_p = p/p_{max}$ which is a close approximation to the variable z. A value of $\varepsilon_c = 0.078 \pm 0.008$ is extracted from the fit to the $D^\star$ distribution.
Measurements of the type performed for e^+e^- data have not yet been done at HERA since the center of mass energy of the γg system is not known a priori. Furthermore color interactions with the proton remnant may affect charm fragmentation in ep interactions [17].



Figure 1.4: *(a) Peterson fragmentation function for* $\epsilon_c = 0.02$ *(dashed) [15], 0.06 (solid) [16] and 0.078 (dotted) [68]. (b)* D^0 *and* $D^\star$ *cross sections measured in* e^+e^- *scattering as a function of* $x_p = p/p_{max}$*. The data are fitted by Peterson fragmentation functions. The* $D^\star$ *spectrum yields a parameter of* $\varepsilon_c = 0.078 \pm 0.008$.



Figure 1.5: *Diagram representing the inclusive deep inelastic diffractive scattering process. The process is described by the 4-vectors of the system X (X), the system Y (Y), the exchanged photon γ, the incoming proton (p), and the squared four-momentum transfer at the proton vertex (t).*

1.4 Diffractive deep inelastic scattering

In this analysis open charm events are measured in diffractive deep inelastic scattering. Before the models for diffractive open charm production will be introduced, the general features of inclusive diffractive DIS events are described in the following.

Studies of DIS events at HERA revealed the presence of *rapidity gap events* of the form $ep \to eXY$ [18, 19]. Two distinct hadronic systems X and Y are separated by the largest interval in rapidity without any hadronic activity between the final state hadrons, see Figure1.5. The proton can either scatter *elastically* ($M_Y = m_p$) or *dissociate* diffractively into a low-mass state ($M_Y > m_p$). Diffractive events are interpreted as being due to *diffractive interactions* between the photon and the proton mediated by the exchange of a colorless object, the *pomeron*[4] ($I\!P$).

Diffractive DIS processes are described using kinematic variables, which can be defined with reference to Figure 1.5:

$$x_{I\!P} = \frac{q \cdot (p - Y)}{q \cdot p} = \frac{(Q^2 + M_X^2 - t^2)}{(Q^2 + W^2 - m_p^2)} \simeq \frac{(Q^2 + M_X^2)}{(Q^2 + W^2)} \tag{1.17}$$

$$\beta = \frac{Q^2}{2q \cdot (p - Y)} = \frac{Q^2}{(Q^2 + M_X^2 - t^2)} \simeq \frac{Q^2}{(Q^2 + M_X^2)} \tag{1.18}$$

where M_X and M_Y are the invariant masses of the systems X and Y and $t = (p - Y)^2$ is the momentum transfer squared at the proton vertex. $x_{I\!P}$ is, in the limit $t \to 0$, the fraction of the proton momentum carried by the pomeron.

[4]In this thesis the terms *pomeron exchange* and *diffraction* are used synonymously.

1.4.1 Hadron-hadron interactions and Regge theory

Diffractive processes are known from hadron-hadron interactions. Since the strong forces between the hadrons take place at small momentum transfer such *soft* processes are not perturbatively calculable. They can be described within the phenomenological framework of Regge theory [20, 21]. In Regge theory, cross sections are described by the t-channel exchange of so-called *Regge trajectories*, which show up as approximately straight lines if one plots the angular-momentum of possible exchanged particles versus their mass squared (Chew-Frautschi plot). When treating the angular-momentum as a continuous, complex variable, $\alpha(t)$, the trajectories can be expressed in a simple linear form

$$\alpha(t) = \alpha(0) + \alpha' t \ . \tag{1.19}$$

Resonances corresponding to mesons like e.g. ρ, ω, ϕ are observed at physical values of spin, such that $Re(\alpha(t))$ is an integer or half-integer, known as *Regge poles*.
Regge theory states that the forward elastic amplitude T_{el} for a process $AB \to AB$, where A and B are the four-momenta of the scattering hadrons, has the form $T_{el}(s,t) \propto s^{\alpha(t)}$ and is related to the total cross section via the *Optical Theorem*

$$\sigma_{tot} \sim \frac{1}{s} Im(T_{el})_{t=0} \tag{1.20}$$

and therefore in the limit $t \to 0$

$$\sigma_{tot} \propto s^{\alpha(0)-1} \ . \tag{1.21}$$

The intercept $\alpha(0)$ of a Regge trajectory thus determines the energy dependence of the total cross section for a given process. Since all known meson trajectories have intercepts $\alpha(0) \lesssim 0.6$ the total cross section falls rapidly with increasing center of mass energy $\sqrt{s}$. This is in contradiction to measurements made in pp and $p\bar{p}$ scattering experiments showing a slow rise of the elastic and the total cross section with $\sqrt{s}$. Such behavior can be described by a trajectory with an intercept $\alpha(0) \gtrsim 1$ carrying the quantum numbers of the vacuum and is known as the pomeron, after Pomeranchuk. The pomeron trajectory was determined by Donnachie and Landshoff from the total cross sections in pp and $p\bar{p}$ collisions using a parameterization

$$\sigma_{tot} = A_{\mathbb{P}} s^{\alpha_{\mathbb{P}}(0)-1} + A_{\mathbb{R}} s^{\alpha_{\mathbb{R}}(0)-1} \tag{1.22}$$

with free normalizations $A_{\mathbb{P}}$ and $A_{\mathbb{R}}$ and intercepts $\alpha_{\mathbb{P}}$ and $\alpha_{\mathbb{R}}$ of the contribution from pomeron ($\mathbb{P}$) and reggeon[5] ($\mathbb{R}$) exchange [22]. The intercepts were found to be

$$\alpha_{\mathbb{P}}(0) = 1.08 \quad \text{and} \quad \alpha_{\mathbb{R}}(0) = 0.55 \tag{1.23}$$

and an excellent agreement with hadron-hadron cross section measurements over a wide region of phase space were achieved. However, no physical particle has been observed corresponding to the pomeron trajectory, explaining the enduring attempts to understand its identity.

[5]The name *reggeon* refers to any trajectory other than that of the pomeron.

1.4.2 Diffractive structure function $F_2^{D(3)}$

Diffractive processes have been observed in soft hadronic interactions and were successfully described in terms of Regge theory before the advent of QCD. However, this phenomenological model makes no prediction about the possible partonic nature of the pomeron. The hard scale in DIS at HERA allows one to probe its structure within the framework of pQCD.
In a partonic interpretation of the pomeron β is the momentum fraction of the pomeron carried by the parton interacting with the photon and therefore may be interpreted as the analogue of the scaling variable x in inclusive DIS (see Section 1.1). It can be seen from Equations 1.17 and 1.18 that $x = \beta \cdot x_{I\!P}$. Diffractive DIS is used to probe the partonic structure of the pomeron. This is formalized by defining diffractive structure functions (see e.g. [23]) in analogy with the inclusive structure function $F_2(x, Q^2)$ (see Section 1.2), such that

$$\frac{d^5\sigma(ep \to eXY)}{d\beta dQ^2 dx_{I\!P} dt dM_Y} = \frac{4\pi\alpha_{em}^2}{\beta Q^4}\left(1 - y + \frac{y^2}{2}\right) F_2^{D(5)}(\beta, Q^2, x_{I\!P}, t, M_Y)\ . \tag{1.24}$$

The variables β, Q^2 and $x_{I\!P}$ are reconstructed from the scattered positron and the hadronic system X. The system Y is usually not measured directly and the resolution in t, which may be reconstructed from the transverse momentum of the system X, is very poor. Therefore, an integration is performed over the two unmeasured quantities in a range of M_Y and t given by the experimental acceptance for the detection of system Y, to produce measurements of $F_2^{D(3)}(\beta, Q^2, x_{I\!P})$. For most measurements $x_{I\!P}$ is required to be less than 0.05, so that Y takes at least 95% of the momentum carried by the initial state proton.

The factorization hypothesis [24] assumes the diffractive structure function, given by Equation 1.24, to be dominated by pomeron exchange so that it may be written as the product of two independent terms

$$F_2^{D(3)}(\beta, Q^2, x_{I\!P}) = f_{I\!P/p}(x_{I\!P})\ F_2^{I\!P}(\beta, Q^2) \tag{1.25}$$

where $F_2^{I\!P}(\beta, Q^2)$ describes the partonic structure of the pomeron, and $f_{I\!P/p}(x_{I\!P})$ denotes the t-integrated pomeron *flux* describing the probability of the production of pomerons from the proton. The pomeron flux is assumed to follow a Regge behavior with an approximate $1/x_{I\!P}$ dependence

$$f_{I\!P/p}(x_{I\!P}, t) \sim f(t)\left(\frac{1}{x_{I\!P}}\right)^{2\alpha(t)-1}\ . \tag{1.26}$$

Here $\alpha(t)$ is the pomeron trajectory, see Equation 1.19 in Section 1.4.1.

The latest measurement of $F_2^{D(3)}$ by H1 [25] is presented in Figure 1.6. The quantity $x_{I\!P} F_2^{D(3)}$ is shown for various ranges of β and Q^2. It can be seen that over most of the kinematic region covered $x_{I\!P} F_2^{D(3)}$ is either falling, or approximately constant, as a function of increasing $x_{I\!P}$. This observation is different to that expected for a leading meson trajectory, but consistent with the exchange being dominated by the pomeron.



Figure 1.6: *The diffractive structure function, as measured by H1 [25], plotted as $x_{I\!P}F_2^{D(3)}(x_{I\!P},\beta,Q^2)$ against $x_{I\!P}$ for various β and Q^2 values. The curves show the result of a Regge parameterization, where the lower line corresponds to the reggeon contribution, and the upper line to the total pomeron plus meson contribution.*

Since the form of the $x_{\mathbb{P}}$ dependence changes at large $x_{\mathbb{P}}$ for some values of β and Q^2, the data can not be explained by the exchange of a single factorizable Regge trajectory. A natural explanation for this feature is the presence of sub-leading exchanges in addition to the leading pomeron, which lie on the approximately degenerate reggeon trajectory $\alpha_{\mathbb{R}}(t) \simeq 0.55{+}0.9t$ and which carry the quantum numbers of the ρ, ω, a or f meson. Under the assumption of factorization individually for both pomeron and reggeon exchange, the observed diffractive structure function can be expressed as

$$F_2^{D(3)} = f_{\mathbb{P}/\mathrm{p}}(x_{\mathbb{P}})F_2^{\mathbb{P}}(\beta, Q^2) + f_{\mathbb{R}/\mathrm{p}}(x_{\mathbb{R}})F_2^{\mathbb{R}}(\beta, Q^2) \;, \tag{1.27}$$

where now $f_{\mathbb{R}/\mathrm{p}}(x_{\mathbb{R}})$ describes the reggeon flux and $F_2^{\mathbb{R}}(\beta, Q^2)$ the reggeon structure function. Using this Regge parameterization, a fit to the H1 data yields for the pomeron an intercept of

$$\alpha_{\mathbb{P}}(0) = 1.203 \pm 0.020(stat.) \pm 0.013(sys.)^{+0.030}_{-0.035}(model) \;. \tag{1.28}$$

This value of $\alpha_{\mathbb{P}}(0)$ is significantly larger than the value obtained from soft hadronic cross section measurements. The meson intercept is found to be consistent with the value of 0.55. The t dependence of the trajectories cannot be constrained in the fit and so are assumed to be the same as those obtained from analyses of hadron-hadron data.

In the factorization hypothesis of Equation 1.27 the structure functions $F_2^{\mathbb{P}}(\beta, Q^2)$ and $F_2^{\mathbb{R}}(\beta, Q^2)$ describe the deep-inelastic structure of the pomeron and meson exchanges respectively. The Q^2 evolution of the pomeron structure function $F_2^{\mathbb{P}}(\beta, Q^2)$ may be understood in terms of parton dynamics and therefore perturbative QCD. In analogy with the proton structure function F_2, the pomeron structure function can be written as

$$F_2^{\mathbb{P}}(\beta, Q^2) = \beta \sum_i e_i^2 f_i(\beta, Q^2) \;, \tag{1.29}$$

where $f_i(\beta, Q^2)$ is the parton density function giving the probability of finding a parton of type i and charge e_i carrying the fraction β of the pomeron's momentum. Models which treat the pomeron as though it were a hadron composed of partons are referred to as *factorizable* or *resolved* pomeron models. H1 adopted a simple prescription [25] in which parton distributions are assigned to both the pomeron and meson and are parameterized in terms of non-perturbative input distributions at a starting scale $Q_0^2 = 3$ GeV^2. The pomeron and meson parton distributions are then evolved separately with increasing Q^2 according to the DGLAP formalism (see Section 1.2.2). For the pomeron, the input distributions are parameterized using a quark flavor singlet distribution ($z\mathcal{F}_q(z, Q^2) = u + \bar{u} + d + \bar{d} + s + \bar{s}$) and a gluon distribution ($z\mathcal{F}_g(z, Q^2)$), where z is the fractional momentum of the pomeron carried by the struck parton. If the photon couples directly to a quark intrinsic to the pomeron structure then $z = \beta$, whilst if the photon interacts with a gluon via photon-gluon fusion then z is the fractional momentum carried by the gluon and the inequation $0 < \beta < z$ holds.

The measurement is confronted with three calculations assuming different initial forms for the pomeron parton distributions. In fit 1 only quarks are assumed to contribute to the pomeron structure at the starting scale. The resulting parameterization of $F_2^{D(3)}$ is shown



Figure 1.7: *The quantity $x_{I\!P}F_2^{D(3)}(x_{I\!P},\beta,Q^2)$ at $x_{I\!P}=0.003$ as a function of Q^2 for different values of β. In both (a) and (b) the solid points show the same data. In (a) the result of QCD fit 1 (in which only quarks contributed to the pomeron structure at $Q_0^2=3\ \mathrm{GeV}^2$) is superimposed. In (b) the preferred QCD fit 3 (in which both quarks and gluons contribute) is shown. In both figures the solid line represents the value of $F_2^{D(3)}(x_{I\!P},\beta,Q^2)$, whilst the dotted line shows the contribution from the pomeron term only.*

at a constant value of $x_{I\!P}=0.003$, where pomeron exchange is expected to dominate, as a function of Q^2 for different values of β in Figure 1.7(a), and as a function of β for different values of Q^2 in Figure 1.8(a). A scaling violation of $F_2^{D(3)}$ is observed which is not described by a parameterization in which the pomeron contains only quarks. In fit 2 gluons are allowed to contribute to the pomeron structure at the starting scale, and a significantly better description of the data is obtained. Introducing two further terms in a polynomial expansion of the gluon distribution improves further the description of the data. The corresponding fit 3 is shown in Figures 1.7(b) and 1.8(b), and reproduces well the scaling violations of $F_2^{D(3)}$ in Q^2 and the dependence on β.

The parton distributions resulting from fits 2 and 3 are presented in Figure 1.9 where both the sum of the light quarks distributions and the gluon distribution are shown for



Figure 1.8: *The quantity $x_{I\!P} F_2^{D(3)}(x_{I\!P}, \beta, Q^2)$ at $x_{I\!P} = 0.003$ as a function of β for different values of Q^2. In both (a) and (b) the solid points show the same data. In (a) the result of QCD fit 1 (in which only quarks contributed to the pomeron structure at $Q_0^2 = 3$ GeV^2) is superimposed. In (b) the preferred QCD fit 3 (in which both quarks and gluons contribute) is shown. In both figures the solid line represents the value of $F_2^{D(3)}(x_{I\!P}, \beta, Q^2)$, whilst the dotted line shows the contribution from the pomeron term only.*

each fit for three different values of Q^2. In both fits a substantial gluon component in the pomeron is observed. The fraction of the momentum of the pomeron carried by gluons decreases with increasing Q^2 from $\sim 90\%$ at $Q^2 = 4.5\,\text{GeV}^2$ to $\sim 80\%$ at $Q^2 = 75\,\text{GeV}^2$. These results are consistent with a qualitative conclusion which may be drawn directly from Figure 1.7. The rise of the diffractive structure function $F_2^{D(3)}$ with $\ln Q^2$ at fixed β, persists to large values of $\beta = 0.65$. This is in contrast to the structure function of the proton F_2 and is a clear evidence of the diffractive exchange being dominated by gluons. With the slightly better quality of fit 3 the data seem to prefer a gluon distribution that is large at high z such that for low values of Q^2 the majority of the pomeron momentum is carried by a single gluon. Thus the data support pictures of diffractive DIS in which the dominant mechanism is boson-gluon fusion with the incoming gluon carrying a large fraction of the momentum of the pomeron.



Figure 1.9: *The contribution of the light quark and gluon distributions to $z\mathcal{F}(z)$ for QCD fits 2 and 3 at (a) $Q^2 = 4.5$ GeV^2, (b) $Q^2 = 12$ GeV^2 and (c) $Q^2 = 75$ GeV^2.*

The H1 parton distributions from fits 1 to 3 described above are implemented in a factorizable pomeron model within the RAPGAP Monte Carlo program [26].

1.5 Charm in diffraction

As it has been discussed in the previous section the pomeron can be interpreted as a partonic object. The QCD analysis of the inclusive diffractive structure function $F_2^{D(3)}$ indicates a significant gluon content in the pomeron. In analogy to inclusive open charm production (see Section 1.3) the study of diffractive open charm production allows one to probe more directly the gluon content in the pomeron. The models later used for comparison are briefly introduced in the following.

1.5.1 Resolved pomeron model

In the resolved pomeron model [28] open charm is produced via photon-gluon fusion (PGF), where the photon, radiated by the incoming lepton, interacts with a gluon of the pomeron, carrying a fraction $z_{I\!P}$ of the pomeron momentum. The generic diagram for this process is show in Figure 1.10. The momentum fraction of the pomeron carried by



Figure 1.10: *Photon-gluon fusion in the resolved pomeron process. $z_{I\!P}$ denotes the fraction of the pomeron momentum carried by the gluon.*

the interacting gluon which enters the photon-gluon fusion process (PGF) $z_{I\!P}$ is given by

$$z_{I\!P} = \frac{x_g}{x_{I\!P}} = \beta\left(1 + \frac{\hat{s}}{Q^2}\right) \simeq \frac{M_{c\bar{c}}^2 + Q^2}{M_X^2 + Q^2}\,, \tag{1.30}$$

see also Equation 1.18. $z_{I\!P}$ can be reconstructed from the measured hadronic final state according to Equation 1.14 and 1.15 defining the hadronic observable $z_{I\!P}^{obs}$. In the resolved pomeron process both the $c\bar{c}$ system and the pomeron remnant are included in the system X giving rise to the production of masses $M_X \gg M_{c\bar{c}}$. Therefore the gluon momentum fraction $z_{I\!P}$ is dominated by low values.
Diffractive charm production can be simulated in the resolved pomeron approach using the Monte Carlo event generator program RAPGAP. The partons emerging from the hard sub-process are hadronizing according to the LUND string model, as implemented in the JETSET [27] Monte Carlo program.



Figure 1.11: *Diffractive open charm production by perturbative two gluon exchange. a) process $\gamma^* + p \to c\bar{c} + p'$ where the mass of system X is restricted to the invariant mass of the $c\bar{c}$ system. b) higher order process $\gamma^* + p \to c\bar{c}g + p'$.*

1.5.2 Two-gluon model

In perturbative QCD diffractive open charm production can be realized by the exchange of two hard gluons [29, 30, 31] (see Figure 1.11(a)). Consequently the cross section for the process $\gamma^* + p \to c\bar{c} + p'$ is proportional to the gluon density squared of the proton $[x_{I\!P} G_p(x_{I\!P}, \mu)]^2$, where μ is the factorization scale. This process is implemented in the Monte Carlo generator RAPGAP allowing for different parameterizations of the gluon density in the proton.
In the two-gluon model $z_{I\!P} = 1$ holds for the partonic final state since the mass of system X is restricted to the invariant mass $M_{c\bar{c}}$ of the $c\bar{c}$ system. To produce higher masses M_X contributions such as $\gamma^* + p \to c\bar{c}g + p'$ are needed, as it is indicated in Figure 1.11(b).

1.5.3 Soft color interaction model

In the soft color interaction model (SCI) [32] the $c\bar{c}$ pair is produced via PGF. With a certain probability the color structure of the partonic state is changed by soft gluon exchanges between each pair of colored partons emerging from the hard interaction, without changing the kinematics of the process (see Figure 1.12). Large rapidity gap events can be produced when the soft interactions lead to net color-singlet exchange. The probability for SCI is a free parameter in this model. Since gluon radiation from the $c\bar{c}$ pair is suppressed by the large charm mass the mass M_X of the system X is relatively small. The SCI has been implemented in the Monte Carlo generator AROMA 2.2.



Figure 1.12: *Charm production via photon-gluon fusion. A rapidity gap is produced via soft color interactions between the outgoing partons of the hard sub-process.*

1.5.4 Monte Carlo implementation

The **AROMA** Monte Carlo program [33] describes the charm production process $ep \to ec\bar{c}X$ via the photon-gluon fusion mechanism. The hard partonic subprocess $\gamma g \to c\bar{c}$ is calculated in leading order QED and QCD. Higher order corrections are included by initial and final state parton showers in the leading log approximation [34]. The gluon density of the proton $g(x_g, \mu^2)$ is considered at a factorization scale given by the center of mass energies of the partonic interaction $\mu^2 = \hat{s}$. The hadronization is performed using the LUND string model. Rapidity gaps are produced with a rate of $\approx 10\%$ through soft color interactions, without involving the concept of a pomeron.

The **RAPGAP** Monte Carlo program [26] produces charm in the same way as it is performed in AROMA, namely via PGF. Also hadronization is done using the LUND string model. The difference to AROMA is the construction of the partonic final state involving either the concept of the resolved pomeron or the two-gluon model, which both have been discussed in detail in the previous sections.



Figure 1.13: *Definition of the azimuthal angle $\phi^\star$ in the $\gamma^*\mathbb{P}$ center of mass system.*

1.5.5 Model comparison

A comparison of the three different models for diffractive $c\bar{c}$ production is presented in Figure 1.14. Shown are the parton level predictions for various kinematic variables in the kinematic region $2 < Q^2 < 100\,\mathrm{GeV}^2$, $0.05 < y < 0.7$, $p_T > 2\,\mathrm{GeV}$, $|\eta| < 1.5$, $x_{\mathbb{P}} < 0.04$, $M_Y < 1.6\,\mathrm{GeV}$ and $|t| < 1\,\mathrm{GeV}^2$ where the cross section measurement, which is presented in Chapter 4, is performed. For the resolved pomeron model QCD fit 2 to $F_2^{D(3)}$, which is dominated by gluons at the starting scale, is used (see Figure 1.9). Pomeron and reggeon exchange is considered. A factorization scale $\mu^2 = p_T^2 + Q^2 + 4m_c^2$, a QCD scale $\Lambda_{QCD} = 0.25$ and a number of active flavors $N_f = 5$ in the first order expression of α_s are chosen for both the resolved pomeron and the two-gluon model. For the SCI model $\mu^2 = \hat{s}$, $\Lambda_{QCD} = 0.2$ and $N_f = 4$. The gluon density within the proton is modelled by a leading order GRV[6] parameterization [36]. For all models a charm quark mass of $m_c = 1.5$ GeV is used.
Figure 1.14(a) shows the $p_T^\star$ distribution where $p_T^\star$ is the transverse momentum of the charm quark in the $\gamma^*\mathbb{P}$ center of mass system. The $p_T^\star$ spectrum predicted by the two-gluon model is softer compared to the predictions of the resolved $\mathbb{P}$ and the SCI model, which are very similar. The Q^2 spectra, plotted in Figure 1.14(b), are more or less equal over the full kinematic range. The predictions for the $x_{\mathbb{P}}$ distribution can be seen in

[6]Glück, Reya, Vogt

Figure 1.14(c) and shows a moderate increase with decreasing values of $x_{I\!P}$. The curve peaks at ≈ 0.005 reflecting the fact that the colorless exchange is predominantly ($\mathcal{O}(90\%)$) mediated by pomerons in the measured range. The two-gluon and the SCI model predict a strong peak at low values of $x_{I\!P}$ due to the fact that the system X in both models predominantly consists of the $c\bar{c}$ system alone. Since the momentum fraction of the pomeron carried by the interacting gluon $z_{I\!P}$ is approximately given by the ratio $M_{c\bar{c}}/M_X$ (see Equation 1.30) the $z_{I\!P}$ distribution peaks towards high values, see Figure 1.14(d). In contrast the resolved $I\!P$ model predicts a distribution dominated by low values. The system X consists of the $c\bar{c}$ pair and the pomeron remnant (see Figure 1.10) and therefore masses much larger than $M_{c\bar{c}}$ can be produced. This is also visible in Figure 1.14(e) where the β distribution is plotted. A shift towards lower values of β can be observed compared to the curves predicted by the two-gluon and the SCI model. Finally the $\phi^\star$ distribution is shown in Figure 1.14(f), where $\phi^\star$ denotes the absolute value of the angle between the positron scattering plane and the $c\bar{c}$ plane in the $\gamma^* I\!P$ center of mass system, see Figure 1.13. In the two-gluon model the charm quarks are preferably produced in the plane perpendicular to the positron scattering plane.

In conclusion, the comparison shows striking differences, reflecting the different dynamics of the models. This holds in particular for the variable $z_{I\!P}$, which combines the kinematic informations from the scattered positron, the hadronic system X and the charmed meson (see Section 1.5.1 and Equation 1.30). This observable directly probes the gluons taking part in the interaction. Despite the presence of parton shower and fragmentation effects the characteristics of the different processes are clearly visible. Thus one should gain some insight into the mechanism of diffractive charm production already with a low statistics measurement.



Figure 1.14: *Predictions for diffractive charm production in the kinematic range* $2 < Q^2 < 100\ GeV^2$, $0.05 < y < 0.7$, $p_T > 2\ GeV$, $|\eta| < 1.5$, $x_{I\!P} < 0.04$, $M_Y < 1.6\ GeV$ *and* $|t| < 1\ GeV^2$ *for the resolved* $I\!P$ *model (solid line), the 2-gluon model (dashed line) and the SCI model (dotted line). The distributions are normalized such that the sum of the entries equals one.*

Chapter 2

The H1 Detector at HERA

The work presented here is an analysis of data from e^+p collisions in HERA[1], at the DESY[2] laboratory in Hamburg. The data were collected with the H1 detector, a general purpose detector with almost full coverage of the solid angle around the e^+p interaction point. This apparatus is a composition of several detector components which are optimized for the measurement of various physical quantities. In the following the various components relevant for the present analysis are described. A detailed description of the H1 detector can be found in [37].

[1]HERA=Hadron Electron Ring Accelerator
[2]DESY=Deutsches Elektronen Synchrotron



Figure 2.1: *The storage ring HERA and its pre-accelerators at DESY.*



Figure 2.2: *Integrated luminosity produced by HERA and measured in H1 for the years 1992-2000.*

2.1 The HERA positron-proton collider

The HERA particle collider is the first and so far unique example of the usage of a storage ring in the study of *ep* collisions. A schematic overview is shown in Figure 2.1. In a tunnel with a total circumference of 6.4 km, a proton beam and a positron beam are accelerated separately up to energies of 820 GeV and 27.6 GeV, respectively. Once the beams have reached their final energies, they are adjusted to collide at zero crossing angle in the interaction regions of the H1 and ZEUS experiments. The center of mass energy of $\sqrt{s} \simeq 300\,\mathrm{GeV}$ is one order of magnitude larger than the energies achieved in fixed target lepton nucleon scattering experiments. The positron and proton beams are not continuous, but consist of bunches located 96 ns apart, corresponding to a bunch crossing frequency of 10.4 MHz. A smaller number of non-colliding bunches (*pilot bunches*) is used to study background induced by interactions of the beam with the residual gas in the beam pipe, or with its wall. In 1998 and the first run period of 1999 electrons were used in place of positrons. After the 1999 summer shutdown HERA continued with positron-proton collisions. For the analysis presented here only positron-proton data, collected with the H1 detector over the years 1995, 1996 and 1997, are used. The integrated luminosity produced in the years 1992 to 2000 is shown in Figure 2.2. The rise of the beam currents and HERA performance during the last years is clearly visible.

2.2 The H1 detector

The H1 detector is a typical multi-purpose detector consisting of several sub-detectors, which are generally optimized for the measurement of a specific physical quantity. The