






HERAFitter Open source QCD Fit Framework



Voica Radescu (DESY)

Motivation for a QCD Fit Platform (I)

- There is valuable expertise in the data combination and treatment of the experimental uncertainties as well as in the QCD fits:



See K.Nowak's talk


- Ultimate precision is obtained by combining measurements
 - Improvement on Statistical precision
 - Improvement of Systematic precision
 - Data averaging tool was used for H1 and ZEUS data combination [JHEP01 (2010) 109]

- QCD Fits within experiments proved to be a very useful tool to interpret data!



Motivation for a QCD Fit Platform (II)

- There is a need for an open platform to benchmark various theory predictions under the same conditions.



The spread is reduced if optimal value for m_c is used

→ HERAFitter is an open source platform which provides a tool for PDF analyses



HERAFitter Package

- HERAFitter Package is a ready platform to analyse new data and their impact.
- The beta release can be accessed through the HEPFORGE site:

<http://projects.hepforge.org/herafitter>

[it requires the QCDNUM package [M. Botje] for evolution]

- ▽ Anyone is free to download and use the code
- ▽ References should follow citations provided with the package



License and References

- LICENSE: under GNU GPL v3
- REFERENCES: Citation depending on the usage

If you use the H1FITTER package in a scientific publication, please consider adding the following references. The main citations list contains the papers which should be cited for any use of the H1FITTER program. In addition, some citations are required depending on the modules, data and theory tables used in the program.

```
=====
Main citations
=====
```

```
H1Fitter
-----
```

```
1) "Combined Measurement and QCD Analysis of the Inclusive e+ p Scattering Cross Sections at HERA."
By H1 and ZEUS Collaboration (F.D. Aaron et al.). DESY-09-158, Oct 2009. 61pp.
Published in JHEP 1001:109,2010.
e-Print: arXiv:0911.0884 [hep-ex]
```

```
2) "A Precision Measurement of the Inclusive ep Scattering Cross Section at HERA."
By H1 Collaboration (F.D. Aaron et al.). DESY-09-005, 2009. 35pp.
Published in Eur.Phys.J.C64:561-587,2009.
e-Print: arXiv:0904.3513 [hep-ex]
```

```
QCDNUM ( evolution code )
-----
```

```
"Fast QCD Evolution and Convolution", M. Botje,
NIKHEF-10-002, May 2010. 74pp.
Published in Comput.Phys.Commun.182:490-532,2011.
e-Print: arXiv:1005.1481 [hep-ph]
```

```
=====
Citations depending on the usage
=====
```




HERAFitter Structure

Modular Structure with reduced external dependencies:

- new developments can be added in a modular way

Interfaces:



DATA:


- **DIS ep**
 - ▾ Inclusive
 - ▾ jets
- **DY pp and ppbar**
 - ▾ W, Z, cross sections
 - ▾ Zrapidity
 - ▾ W asymmetries
 - ▾ jets
- **Error treatment:**
 - ▾ Correlated, Uncorrelated
 - ▾ Hessian Method
 - ▾ MC method

Parametrisation studies:

- Standard functional form of PDFs
- CTEQ
- Chebyshev

- **Beta release contains a minimum set of tools for its use at the LHC experiments**
 - It can produce out of the box HERAPDF1.0
 - Sample data file formats for DY and jets usages




HERAFitter Outputs



Output contains basic text (and graphic) information on:

- Error logging controlling consistency between input data/fit parameters
- Quality of the fit (chisquares, pulls)
- Resulting PDFs:
 - text and HERALHGRID LHAPDF format grids ready to plug into the MC generators
- Hessian vs MC replicas error estimation


— output — ref





New developments


- Data file storage (published Tevatron, LHC data)
<https://znwiki3.ifh.de/HERAFitter/HERAFitter/downloads/datatables>
- New interfaces to DIS, DY, Applgrids and FASTNLO modules
- Heavy flavour schemes:
 - RT optimal as in MSTW
 - ACOT as in CTEQ
 - FFNS and BMSN as in ABM
 - Developments in the top area: ttbar cross section using HATHOR
- Possibility to link to LHAPDF
- Addition of the NNPDF reweighting tool [See M. Ubiali's talk]
- Diffractive fits
- Additions to HERAFitter package: HERAaverager
 - Used for combining the measurements
- Others developments for cross model benchmarking:
 - DIPOLE Models
 - Kt-evolution for unintegrated PDFs





ATLAS determination of the s/d

- The differential W^\pm , Z cross section data of ATLAS (2010, 35/pb) were jointly analysed with $e^\pm p$ cross sections from HERA using the HERAFitter framework



<http://arxiv.org/pdf/1203.4051v1.pdf>

$$r_s = 1.00 \pm 0.20_{\text{exp}} \pm 0.07_{\text{mod}}^{+0.10}_{-0.15} \text{par}^{+0.06}_{-0.07} \alpha_s \pm 0.08_{\text{th.}}$$

(See U. Klein's talk)

At LHC, ratio of W/Z cross sections together with γZ shape provide a constraint on s -quark density.



HERAFitter Physics Cases

- Determination of proton PDFs from HERA data
 - Inclusive NC and CC processes
 - ▼ involving low Q^2 phenomenology (DIPOLE vs DGLAP models)
 - DIS charm data
 - Inclusive DIS jets * (PDF + alphas)
- Production of W, Z at LHC: additional lever arm to constrain PDFs
 - Inclusive Differential W, Z cross sections
 - Drell Yan at low and higher masses
 - Jet production * (PDF + alphas)
 - W+charm
- Studies concerning different treatment of correlations (Hessian vs MC vs Offset):
- Top production at LHC:
 - $t\bar{t}$ cross sections
 - Ratio of top/antitop cross sections
- Further developments:
 - Benchmarking of theories
 - Fits using kt evolution [see H. Jung's talk]
 - Diffractive PDF fits



HERAFitter organisation

- Timescale:

- ▽ September 2011 First Beta Release
- ▽ September and October Package presented to the LHC community (ATLAS and CMS)
- ▽ October 2011 First HERAFitter User's Meeting
- ▽ November 2011 First presentation of the HERAFitter at a workshop
- ▽ February 2012 HERAFitter Workshop in Marseille
- ▽ April 2012 Second Beta Release

- Package is supported by a group of developers originally from H1 and ZEUS collaborations: plan to extend the organisation to LHC experiments and theory groups:

- ▽ Independent developers can also add their contribution to the package

- HERAFitter User's interaction

- ▽ Weekly developer's meeting
<https://znwiki3.ifh.de/HERAFitter/HERAFitter/HERAFitterInternal/FitForumMeetings>
- ▽ Monthly users's meeting (<https://znwiki3.ifh.de/HERAFitter/HERAFitter/HERAFitterMeetings>)

Summary

- Successful beta-release of the HERAFitter package so far
 - Multi-platform usage of the package: ATLAS, CMS, theory groups
- Further development of the package towards the stable release:
 - Modular addition of the heavy flavour schemes with the support of Theory groups
- HERAFitter infrastructure has the potential to increase the scientific output of the LHC data and to provide a flexible environment for theory benchmarking

